



**QUICK MEASUREMENT**  
ONE TURN OF SLEEVE OR RATCHET  
STOP MAKES 1MM SPINDLE FEED

## NON-ROTATING SPINDLE DIGITAL MICROMETER

NON-ROTATING  
SPINDLE

DATA  
OUTPUT

- Resolution: 0.001mm/0.00005"
- Repeatability: 1µm
- Measuring force: 5-10N
- Non-rotating spindle, suitable for cylinders
- Quick measurement: one turn of sleeve or ratchet stop makes 1mm spindle feed
- Carbide measuring faces
- Ratchet stop
- Data output
- Button function: mm/inch, max./min. value tracking, tolerance measurement, hold, on/off, zero
- CR2032 battery, automatic power off
- Supplied with setting standards (except 0-25mm/0-1")



3631-25

(mm)

Code	Range	Accuracy	L	a	b
3631-25	0-25mm/0-1"	±2µm	34	188	28.5
3631-50	25-50mm/1-2"	±2µm	59	211	30
3631-75	50-75mm/2-3"	±3µm	84	240	44
3631-100	75-100mm/3-4"	±3µm	109	264	56
3631-125	100-125mm/4-5"	±3µm	134	289	76
3631-150	125-150mm/5-6"	±3µm	160	314	89

